




NEW SERIE EUROPA

SELF-PRIMING PUMP

- Self-priming electric pump for swimming pools, with built-in pre-filter of great capacity.
- Pre-filter with transparent lid in polycarbonate which allows easy observation of the pre-filter basket. The pre-filter is closed with a knob system of easy accessibility.
- Pump body made in polypropylene reinforced with fibreglass, resistant to the chemical products in the swimming pool, guaranteed to last a long time.
- Pump body lid and diffuser in Noryl. Impeller in Noryl with shaft in stainless steel.
- Mechanical seal in graphite and ceramics.
- Motor shaft manufactured in stainless steel AISI 316L.

پمپ های سری EUROPA


- جنس بدنه: پلی پروپیلین تقویت شده با فایبرگلاس
- مقاومت بالا در برابر مواد شیمیایی
- جنس پروانه: نوریل (پلی فینیل اکساید + پلی استیرن)
- مکانیکال سیل: گرافیت + سرامیک دارای پیش فیلتر با ظرفیت بالا و درپوش شفاف
- شفت موتور: استیل ۳۱۶L (AISI)
- اتصالات تقویت شده با حلقه استیل
- استیل ۳۱۶L ضد زنگ نگیر و بسیار مقاوم در برابر خوردگی با اسیدها (بخصوص کلر) می باشد.



SE2N

CODE	POWER		DIMENSIONS								WEIGHT GROSS Kg	VOLUME m ³
	kW	CV/HP	A	B	C	D	E	F	H	L		
SE2N050M SE2N050T	0,37	1/2	235	300	2"	290	264	132	335	545	12,4	0,072
SE2N075M SE2N075T	0,55	3/4	235	300	2"	290	264	132	335	545	12,9	0,072
SE2N100M SE2N100T	0,75	1	235	300	2"	290	264	132	335	545	13,9	0,072
SE2N150M SE2N150T	1,10	1,5	235	300	2"	290	264	132	335	570	16,9	0,072
SE2N200M SE2N200T	1,50	2	235	300	2"	290	264	132	335	585	19,4	0,072
SE2N300M SE2N300T	2,20	3	235	300	2"	290	264	132	335	605	22,4	0,072

OUTPUTS




- Self-priming electric pump for swimming pools, with built-in pre-filter.
- Pre-filter with transparent lid in polycarbonate which allows easy observation of the pre-filter basket. The pre-filter is closed by means of a thread, ensuring the perfect adjustment of the lid.
- Pump body made in polypropylene reinforced with fibreglass, resistant to the chemical products in the swimming pool, guaranteed to last a long time.
- Pump body lid and diffuser in Noryl. Impeller in Noryl with shaft in stainless steel.
- Mechanical seal in graphite and ceramics.
- Motor shaft manufactured in stainless steel AISI 316L.
- Enclosed motor, totally silent, with IP-55 protection, at 2.850 r.p.m. Tension of mains feed at 230V-50Hz single-phase or 230/400V-50Hz three-phase.
- Possibility of 60Hz upon request.
- Connections of suction and return at 2 1/4" for Ø 50 mm bush connections.
- Bush connections included with the pump.

پمپ های سری AMERICA

- جنس پروانه نوریل و شفت موتور استیل ۳۱۶L (AISI)
- اتصالات مکش و دهش پمپ دارای مهره ماسوره
- چسبی UPVC می باشد. A


SERIE AMERICA

PRIMING PUMP/POMPE



CODE	POWER		DIMENSIONS								WEIGHT GROSS Kg	VOLUME m ³	
	kW	CV	A	B	C	D	E	F	G	H			I
SA033M	0,25	1/3	475	296	280	Ø50	225	200	285	199	168	9,7	0,059
SA050M	0,37	1/2	475	296	280	Ø50	225	200	285	199	168	10	0,059
SA075M SA075T	0,55	3/4	490	311	280	Ø50	225	200	285	199	168	12	0,059
SA100M SA100T	0,75	1	490	311	280	Ø50	225	200	285	199	168	12,5	0,059
SA125M SA125T	1,10	1,5	490	311	280	Ø50	225	200	285	199	168	13,5	0,059

OUTPUTS





SERIE BIG DISCOVERY

SELF-PRIMING PUMP

BOMBAS Y NATACIÓN CONTRACORRIENTE/PUMPS AND COUNTER CURRENT SWIMMING/POMPES ET NAGE À CONTRE-COURANT



ATL 2



- Self-priming centrifugal electric pump for swimming pools. Self-priming at 2 m.
- Built-in pre-filter of great capacity (8 litres).
- Pre-filter with transparent lid in polycarbonate which allows easy observation of the pre-filter basket. The pre-filter is closed with a knob system of easy accessibility.
- Pump body made in polypropylene reinforced with fibreglass, resistant to the chemical products in the swimming pool, guaranteed to last a long time.
- Mechanical seal in graphite and ceramics.
- Motor shaft manufactured in stainless steel AISI 316L.
- Motor with IP-55 protection, at 2.850 r.p.m. Tension of mains feed at 230/400V-50Hz three-phase (Ask for 400/690V-50Hz versions).
- Possibility of 60Hz upon request.
- Possibility of IE2 Efficiency Motors upon request.
- Versions of 3HP, 4HP and 5,5HP.
- Suction connection Ø90 mm, return connection Ø75 mm. Both supplied with bush connections.

پمپ های سری BIG DISCOVERY


- جنس بدنه پلی پروپیلن تقویت شده با فایبر گلاس
- همراه با پیش فیلتر ۸ لیتری با حداقل ایجاد سر و صدا
- جنس پروانه نوریل (پلی فنیلن اکساید + پلی استیرن)
- مکانیکال سیل: گرافیت و سرامیک
- شفت: استیل ۳۱۶ (AISI)



CODE	POWER		DIMENSIONS									WEIGHT GROSS	VOLUME
	kW	CV	A	B	C	D	E	F	G	H	L	Kg	m³
DY350T	2,2	3	300	160	Ø90	Ø75	368	320	264	431	713	24	0.12
DY400T	2,9	4	300	160	Ø90	Ø75	368	320	264	431	743	27	0.12
DY550T	4	5,5	300	160	Ø90	Ø75	368	320	264	431	743	29	0.12

SERIE ATLAS


ATLAS PUMP WITH PRE-FILTER




- High Flow Plastic pumps.
- Centrifugal electric pumps for swimming pools, with built-in pre-filter, ideals for high flow at low pressure.
- Pre-filter with transparent lid in polycarbonate which allows easy observation of the pre-filter basket. The pre-filter is closed with a knob system of easy accessibility.
- Pump body and pre-filter made in polypropylene reinforced with fibreglass, resistant to the chemical products in the swimming pool, guaranteed to last a long time.
- Bronze, plastic or stainless steel impeller, according to model.
- Motor shaft manufactured in stainless steel AISI 316L.
- Pre-filter basket in stainless steel too.
- Motors with IP-55 protection, at 2.850 r.p.m. Tension of mains feed at 230/400V-50Hz or 400/690V-50Hz (7,5, 10 and 12,5 HP) three-phase.
- Versions from 4HP to 12,5HP.
- Possibility of AISI 316L stainless steel impellers upon request.

پمپ های سری ATLAS



- جنس بدنه پلی پروپیلن تقویت شده با فایبر گلاس
- همراه با پیش فیلتر ۸ لیتری و جنس سبد استیل
- مناسب جهت جت جگوزی و تصفیه استخرهای عمومی
- و پارک های آبی
- جنس پروانه از جنس برنز می باشد.



Mechanical Seal in Viton



CODE	VOLTAGE (V)	POWER		DIMENSIONS									WEIGHT GROSS	VOLUME
		kW	CV	A	B	ØC	D	E	F	G	H	L	Kg	m³
AT0400	230/400	2,9	4	375	255	90	405	470	330	200	535	820	46	0,252
AT0550	230/400	4	5,5	375	255	110	405	470	330	200	535	840	51	0,252
AT0750	230/400 400/690	5,5	7,5	375	255	110	405	470	330	200	535	840	57	0,252
AT1000	230/400 400/690	7,4	10	375	255	110	405	470	330	200	535	910	68	0,252
AT1250	230/400 400/690	9,2	12,5	375	255	110	405	470	330	200	535	955	72	0,252



IML

Industrias Mecánicas Lago, s.a.u.
Pol. Ind. La Rasa · C/ Muntanya s/n
17481 SANT JULIÀ DE RAMIS (Girona) SPAIN
T. +34 972 170 058 · F. +34 972 172 363
info@imlago.com · www.imlago.com

A white-bordered box contains a map of Europe. The Iberian Peninsula (Spain and Portugal) is highlighted in a darker shade of blue. The letters 'IML' are printed in white on the southern part of the Iberian Peninsula. To the right of the map is the company logo, which consists of the letters 'IML' in a bold, sans-serif font with a stylized wave or swoosh underneath. Below the logo is the company name and contact information in a smaller, sans-serif font.



*Designed and manufactured
in Spain*

BOMBAS, FILTROS Y ACCESORIOS DE PISCINA
POMPES, FILTRES ET ACCESSOIRES DE PISCINE